


SWITCHED & INTERLOCKED SOCKETS


เต้ารับพร้อมสวิทช์อันเตอร์ล็อก




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



MODEL	HTPZ313	HTPZ323	
earth contact position	6h		
rated current (A)	16	32	
pole	3		
dimension (mm)	a b c d e f g	167 120 108 128 102.8 121 71	167 120 118 128 102.8 121 71
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	1,040.-	1,300.-	

MODEL	HTPZ314	HTPZ324	
earth contact position	6h		
rated current (A)	16	32	
pole	4		
dimension (mm)	a b c d e f g	167 120 111.5 128 102.8 121 71	167 120 118 128 102.8 121 71
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	1,150.-	1,500.-	

MODEL	HTPZ315	HTPZ325	
earth contact position	6h		
rated current (A)	16	32	
pole	5		
dimension (mm)	a b c d e f g	167 120 112 128 102.8 121 71	167 120 120.5 128 102.8 121 71
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	1,325.-	1,650.-	


HTN SERIES IP67

PLUGS IP67

ปลั๊กตัวผู้กันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL	HTN0131	HTN0231	
earth contact position	6h		
rated current (A)	16	32	
pole	3		
dimension (mm)	a b c	120 71 15	150 93 22
cable nominal cross- section area (mm ²)	1~2.5	2.5~6	
Price	150.-	240.-	




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN0141	HTN0241
earth contact position	6h	
rated current (A)	16	32
pole	4	
dimension (mm)	a b c	125 79 15 150 93 22
cable nominal cross- section area (mm ²)	1~2.5	2.5~6
Price	180.-	260.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL	HTN0151	HTN0251
earth contact position	6h	
rated current (A)	16	32
pole	5	
dimension (mm)	a b c	133 87 17 155 99.5 22
cable nominal cross- section area (mm ²)	1~2.5	2.5~6
Price	230.-	320.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL	HTN0331	HTN0431
earth contact position	6h	
rated current (A)	63	125
pole	3	
dimension (mm)	a b c	260 113.5 32 301 126 45
cable nominal cross- section area (mm ²)	6~16	16~50
Price	800.-	2,990.-




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN0341	HTN0441
earth contact position	6h	
rated current (A)	63	125
pole	4	
dimension (mm)	a b c	260 113.5 32 301 126 45
cable nominal cross- section area (mm ²)	6~16	16~50
Price	880.-	3,080.-



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL	HTN0351	HTN0451
earth contact position	6h	
rated current (A)	63	125
pole	5	
dimension (mm)	a b c	260 113.5 32 301 126 45
cable nominal cross- section area (mm ²)	6~16	16~50
Price	930.-	3,150.-

CONNECTORS IP67

เต้ารับกลางทางกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL	HTN2131	HTN2231	
earth contact position	6h		
rated current (A)	16	32	
pole	3		
dimension (mm)	a b c d	134 78.5 15 71	166 98 22 93.5
cable nominal cross- section area (mm ²)	1~2.5	2.5~6	
Price	220.-	330.-	




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN2141	HTN2241	
earth contact position	6h		
rated current (A)	16	32	
pole	4		
dimension (mm)	a b c d	138 85 15 79	166 98 22 93.5
cable nominal cross- section area (mm ²)	1~2.5	2.5~6	
Price	255.-	340.-	




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL	HTN2151	HTN2251	
earth contact position	6h		
rated current (A)	16	32	
pole	5		
dimension (mm)	a b c d	146 93 17 86.5	171 104 22 99.5
cable nominal cross- section area (mm ²)	1~2.5	2.5~6	
Price	290.-	410.-	




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL	HTN2331	HTN2431	
earth contact position	6h		
rated current (A)	63	125	
pole	3		
dimension (mm)	a b c d	260 113.5 32 111	319 130 45 127
cable nominal cross- section area (mm ²)	6~16	16~50	
Price	950.-	3,050.-	



current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN2341	HTN2441	
earth contact position	6h		
rated current (A)	63	125	
pole	4		
dimension (mm)	a b c d	260 113.5 32 111	319 130 45 127
cable nominal cross- section area (mm ²)	6~16	16~50	
Price	1,100.-	3,250.-	



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTN2351	HTN2451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	260	319
	b	113.5	130
	c	32	45
	d	111	127
cable nominal cross- section area (mm ²)		6~16	16~50
Price		1,200.-	3,600.-

WALL SOCKETS IP67

เต้ารับติดลอยกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN1131	HTN1231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	101	114
	b	150	162
	c	93.5	93.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		290.-	360.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN1141	HTN1241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	104	114
	b	150	162
	c	93.5	93.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		310.-	410.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN1151	HTN1251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	107	116
	b	151	163
	c	93.5	93.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		370.-	470.-



current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight




MODEL		HTN1331	HTN1431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,060.-	3,990.-


* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice



current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN1341	HTN1441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
cable nominal cross- section area (mm ²)		6~16	25~70
Price		1,200.-	4,100.-


MODEL		HTN1351	HTN1451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,350.-	4,350.-

FLANGED SOCKETS IP67

เต้ารับฝังเขียงกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN3131	HTN3231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	41	52.5
	f	45	49.5
	g	64	64
	h	35	35
	i	38	38
	R	32	32
	r	7	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		190.-	260.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN3141	HTN3241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	41.5	52.5
	f	46	49.5
	g	64	64
	h	35	35
	i	38	38
	R	32	32
	r	7	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		220.-	290.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN3151	HTN3251
earth contact position		6h	
rated current (A)		16	32
pole		5	
	a	75.5	80
	b	86.5	90
	c	61	65
	d	61	70
	e	40	51.5
	f	48	52.5
	g	64	70
	h	35	37.5
	i	38	40.5
	R	32	35
	r	7	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		260.-	350.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN3331	HTN3431
earth contact position		6h	
rated current (A)		63	125
pole		3	
	a	100	114
	b	110	114
	c	80	90
	d	85	90
	e	65.5	90.5
	f	77.5	80.5
	g	81	94
	h	42.5	47
	i	45.5	53
	R	40.5	47
	r	9	9
cable nominal cross- section area (mm ²)		6~25	25~70
Price		990.-	2,700.-




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN3341	HTN3441
earth contact position		6h	
rated current (A)		63	125
pole		4	
	a	100	114
	b	110	114
	c	80	90
	d	85	90
	e	66.5	90.5
	f	77.5	80.5
	g	81	94
	h	42.5	47
	i	45.5	53
	R	40.5	47
	r	9	9
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,025.-	2,800.-



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL	HTN3351	HTN3451	
earth contact position	6h		
rated current (A)	63	125	
pole	5		
dimension (mm)	a b c d e f g h I R r	100 110 80 85 66.5 77.5 81 42.5 45.5 40.5 9	114 114 90 90 90.5 80.5 94 47 53 47 9
cable nominal cross- section area (mm ²)	6~25	25~70	
Price	1,200.-	3,000.-	

FLANGED SOCKETS IP67

เต้ารับฝังตรงกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL	HTN4131	HTN4231	
earth contact position	6h		
rated current (A)	16	32	
pole	3		
dimension (mm)	a b c d e f g h	75 75 60 60 25.8 54.5 80.5 43	75 75 60 60 29.2 64.5 97.5 57.5
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	190.-	260.-	




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN4141	HTN4241	
earth contact position	6h		
rated current (A)	16	32	
pole	4		
dimension (mm)	a b c d e f g h	75 75 60 60 26.3 54.5 85 49.5	75 75 60 60 29.2 64.5 97.5 57.5
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	220.-	290.-	




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight




MODEL	HTN4151	HTN4251	
earth contact position	6h		
rated current (A)	16	32	
pole	5		
dimension (mm)	a b c d e f g h	75 75 60 60 26.2 54.5 93 56	75 75 60 60 29.8 65.5 103.5 64
cable nominal cross- section area (mm ²)	1.5~4	2.5~10	
Price	260.-	350.-	




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN4331	HTN4431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		990.-	2,700.-

MODEL		HTN4341	HTN4441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,025.-	2,800.-


MODEL		HTN4351	HTN4451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,200.-	3,000.-

FLANGED INLETS IP67

ปลั๊กฝังกับน้ำ



current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		DKN6131	DKN6231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	85.7	85.7
	b	85.7	85.7
	c	72	90
	d	69.5	69.5
	e	69.5	69.5
	f	5.5	5.5
	g	11	11
	h	2	2
	i	50	50
	j	71	94
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		CALL	CALL

* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice